



## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Matt Black
- **Article number:** 443NEW
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation** Coating compound/ Surface coating/ paint
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Concept Chemicals & Coatings Ltd.  
Felt Court, Windmill Lane Ind.Estate  
Denton, Manchester M34 3RB England
- **Further information obtainable from:**  
Tel 00 44 (0)161 335 0213  
Fax 00 44 (0)161 335 0214  
cheryl@conceptchemicals.com
- **Emergency telephone number:**  
During working hours GMT 09.00 - 17.00  
Tel 00 44 (0)161 335 0213  
Fax 00 44 (0)161 335 0214

## 2 Hazards identification

- **Classification of the substance or mixture**
  - **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
  -  Xi; Irritant  
 R36/37/38: Irritating to eyes, respiratory system and skin.
  -  F+; Extremely flammable  
 R12: Extremely flammable.
  - R66-67: Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.
  - **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
Has a narcotizing effect.
  - **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- 
- **Label elements**
  - **Labelling according to EU guidelines:**  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials
  - **Code letter and hazard designation of product:**  
Xi Irritant  
F+ Extremely flammable
  - **Risk phrases:**  
12 Extremely flammable.  
36/37/38 Irritating to eyes, respiratory system and skin.  
66 Repeated exposure may cause skin dryness or cracking.  
67 Vapours may cause drowsiness and dizziness.

(Contd. on page 2)

**Trade name: Matt Black**

(Contd. of page 1)

· **Safety phrases:**

- 16 Keep away from sources of ignition - No smoking.
- 23 Do not breathe vapour/spray.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 38 In case of insufficient ventilation, wear suitable respiratory equipment.
- 51 Use only in well-ventilated areas.
- 60 This material and its container must be disposed of as hazardous waste.

· **Special labelling of certain preparations:**

- Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.
- Do not pierce or burn, even after use.
- Do not spray on a naked flame or any incandescent material.
- Keep out of the reach of children

· **Other hazards**

· **Results of PBT and vPvB assessment**








- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-64-1 EINECS: 200-662-2	propan-2-one	 Xi R36;  F R11 R66-67	25-50%
CAS: 74-98-6 EINECS: 200-827-9	propane	 F+ R12	25-50%
	PAINT	 Xn R65;  Xi R37/38;  N R51/53 R10-64-67	10-25%
CAS: 106-97-8 EINECS: 203-448-7	butane	 F+ R12	5 -10%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

· **Description of first aid measures**

- **After inhalation** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing** If symptoms persist consult doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

**Trade name: Matt Black**

(Contd. of page 2)

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **Special hazards arising from the substance or mixture**  
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Prevent seepage into sewage system, workpits and cellars.  
Do not allow to enter sewers /surface or ground water drains.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling**  
Risk of serious damage to eyes.  
Open and handle receptacle with care.  
Prevent formation of vapours
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Do not seal receptacle gas tight.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

**Trade name: Matt Black**

(Contd. of page 3)

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**67-64-1 propan-2-one**

WEL Short-term value: 3620 mg/m<sup>3</sup>, 1500 ppm  
Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

**106-97-8 butane**

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm  
Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm  
Carc (if more than 0.1% of buta-1.3-diene)

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:** Rubber gloves

· **Material of gloves:** Natural rubber, NR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Aerosol  
**Colour:** Black  
**Odour:** Characteristic

· **Change in condition**

**Boiling point/Boiling range:** Not applicable, as aerosol

· **Flash point:** -26°C

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

**Lower:** 1.5 Vol %  
**Upper:** 13.0 Vol %

· **Density:** Not determined

(Contd. on page 5)

**Trade name: Matt Black**

(Contd. of page 4)

- **Solubility in / Miscibility with**  
**Water:** Not miscible or difficult to mix
- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.  
Irritant

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Do not allow product to reach ground water or water course.



(Contd. on page 6)

**Trade name: Matt Black**

(Contd. of page 5)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

<b>· UN-Number</b>	
<b>· ADR, IMDG, IATA</b>	UN1950
<b>· UN proper shipping name</b>	
<b>· ADR</b>	1950 AEROSOLS
<b>· IMDG</b>	AEROSOLS
<b>· IATA</b>	AEROSOLS, flammable
<b>· Transport hazard class(es)</b>	
<b>· ADR</b>	
	
<b>· Class</b>	2 5F Gases.
<b>· Label</b>	2.1
<b>· IMDG, IATA</b>	
	
<b>· Class</b>	2.1
<b>· Label</b>	2.1
<b>· Packing group</b>	
<b>· ADR, IMDG, IATA</b>	Void
<b>· Environmental hazards:</b>	
<b>· Marine pollutant:</b>	No
<b>· Special precautions for user</b>	Warning: Gases.
<b>· Danger code (Kemler):</b>	-
<b>· EMS Number:</b>	F-D,S-U
<b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>· Transport/Additional information:</b>	
<b>· ADR</b>	
<b>· Limited quantities (LQ)</b>	1L
<b>· Tunnel restriction code</b>	D

GB

(Contd. on page 7)

**Trade name: Matt Black**

(Contd. of page 6)

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**

R10 Flammable.

R11 Highly flammable.

R12 Extremely flammable.

R36 Irritating to eyes.

R37/38 Irritating to respiratory system and skin.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R64 May cause harm to breastfed babies.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

- **Department issuing MSDS:** Technical Department.
- **Contact:** Mr. S. Appleby