



INDASA

## HEALTH AND SAFETY PRODUCT INFORMATION

Product: Windscreen sealer

Date: 1<sup>st</sup> May 2009

Product code: 472699

Page 1 of 4

1. Identification of Substance/Preparation and Company	
Product Material	Sealant
Product Description	Windscreen Sealer (Tube 310ml)
Trade Name	QWINS
Manufacturer	Indasa Abrasives (UK) Limited
Address	Viking Works, 113 Greenstead Road, Colchester, Essex CO1 2ST
Emergency Tel No (UK)	01206 870366
Fax No	01206 860525

Composition/Information on ingredients				
Name	EC No.	CAS -No	Content	Classification
ETHANEDIOL	203-473-3	107-21-1	< 1%	Xn;R22
NAPHTHA PETROLEUM (W.S.)		64742-82-1	10-30%	Xn;R65.

\* OES Occupational Exposure Standard – The control of Substances Hazardous to Health Regulation 1988 Ref. HSE Guidance Note EH40/89

3. Hazards Identification/Adverse Human Health Effects	
Inhalation	Unlikely to occur. Typical symptoms – headache, dizziness and nausea
Skin Contact	Possible irritation if contact excessive
Eye Contact	Irritating to the eyes
Ingestion	Accidental ingestion is an unlikely event. Discomfort if ingested. Toxicity of product is low.

4. First Aid Measures	
Inhalation	Remove from contaminated atmosphere into fresh air, keep warm and at rest. DO NOT allow to smoke. If there are any difficulties with breathing give oxygen and obtain medical attention urgently.

Skin Contact	Remove any contaminated clothing. Wash contaminated skin immediately with soap and water or use a proprietary skin cleaner. DO NOT USE SOLVENTS OR THINNERS. Obtain medical advice if skin irritation persists.
Eye Contact	Contact lenses should be removed. Flush with copious amounts of water – rinsing for 10 minutes holding the eyelids apart. Seek medical attention.
Ingestion	Clear material from mouth and throat and obtain immediate medical attention. Do not induce vomiting. Seek medical attention.

<b>5. Fire and Explosion Hazard Data</b>	
Flash Point (C)	N/A
Flammable Limits (% by volume)	N/A
Autoignition Temperature	N/A
Suitable Extinguishing Media	Alcohol resistant foam, Co2, powder or a water spray/mist
Extinguishing media that must not be Used – decomposition/combustion	Do not use water jet
Special Protective Fire Fighting	Full Face, positive pressure, self contained breathing apparatus
Equipment	Breathing apparatus and full protective clothing
Special Precautions	Product is not classified as flammable – CPL Regulations, but is combustible. Keep away from sources of heat and ignition, do not smoke. Possibility of sealed cartridges bursting. Cool closed containers in vicinity of fire with water spray. Wear breathing apparatus if significant amounts are involved in a fire

<b>6. Accidental Release Measures/Spills and Leaks</b>	
Personal precautions	Avoid contact with skin and eyes and avoid breathing the vapours. Wear safety glasses, chemical goggles (if splashing possible), gloves and respiratory protection where there is a risk of exposure to high vapour concentrations
Environmental precautions	Prevent entry into drains, sewers, basements and work pits where vapour may create an explosive atmosphere. If substance has entered drains inform police or fire service
Cleaning up method	Eliminate sources of ignition and ventilate the area. Absorb with sand or proprietary absorbent and transfer to container for suitable disposal

<b>7. Handling and Storage</b>	
Precautions for safe handling	Avoid inhaling vapours; avoid contact with skin and eyes. Handle in a well ventilated area. Vapours are heavier than air and may spread along floors. They may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid concentration higher than occupational exposure limits. Only use in areas from which all sources of heat, sparks and open flame have been excluded. Smoking, eating and drinking should be prohibited in areas of use and storage.
Storage	Store in accordance with the highly flammable liquid regulations. Keep container tightly closed. Do not expose to temperatures exceeding 50°C. Observe the label precautions. Store separately from strong oxidising agents and strong alkaline/acidic materials.

<b>8. Exposure Control/Personal Protection</b>	
Ventilation	Sufficient ventilation to prevent accumulation of solvent vapour. Natural ventilation will normally be adequate to disperse small amount present in the product.
Respiratory Protection	No special requirements
Eye Protection	Eye protection not normally required but contact with eyes should be avoided
Skin Protection	Avoid frequent/prolonged skin contact. Wear gloves if necessary.
Clothes	Apron/overalls

<b>9. Physical and Chemical Properties</b>	
Appearance	Black Paste
Physical State	
PH	N/A
Boiling point/boiling range (C)	
Flammability	
Auto ignition	
Explosive properties	
Oxidising properties	
Vapour pressure – Melting Point (mm Hg)	
Flash Point	>55°C
Relative Density	
VOC Content	4%
Solubility – Water	Insoluble
Odour	Weak petroleum
S.G.	1.6

<b>10. Stability and Reactivity</b>	
No hazardous changes over an indefinite period	

**11. Ecological Information**

There is no data available on the product itself.  
 The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

The Air Pollution Control requirements of regulations made under the Environmental Protection Act may apply to the use of this product.

**12. Disposal Considerations**

Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers are controlled wastes and should be disposed of in accordance with the governed Control of Pollution (Special Wastes) Regulations 1980. Non-recoverable waste should be disposed of via a licensed waste disposal contractor. Dried material is non-hazardous.

**13. Transport/Label Information**

Supply Label	Windscreen Sealer
Transport Name	Not classified
UN Number	
UN Packaging Group	
IMDG Classification	
Special precautions Re carriage	

**14. Regulatory Information**

EEC Number	---
Full address	Viking Works, Greenstead Road, Colchester, Essex, CO1 2ST
Full Telephone Number	01206 870366
Relevant UK/EC Regulations	---
Classification Packaging and Labelling of Dangerous Substances Regulation 1984 SI. Product not subject to above regulations	

**15. Any Other Health and Safety Information**

Training	---
Recommended uses and restrictions see below	
Source of key information to compile SDS CHIP regulations 1996. EH40	

Note: The information contained in this Safety Data Sheet does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation (i.e. the Health & Safety at Work Act of 1974; the Control of Substances Hazardous to Healthy Regulation 1988). The data given here is based on current knowledge and experience. The purpose of this data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the product's properties.

Signed:.....

Date First Issued: 01.05.09

Revision Ref:

Date of Revision:

Trade Name of Product/Material: TEX Aluminium Spray